



...See the Difference



fancydoors.com



Fancy Doors and Mouldings is a Canadian-owned and operated supplier of top-quality finishing materials with 100,000 square feet of a state-of-the-art production facility in Edmonton, Alberta. We carry a wide selection of interior and exterior finishing materials. Doors, moulding, railings, and hardware fill any size of a project. At Fancy Doors we also have a world-class Metal Doors shop for all your commercial fire-rated door needs.

We commit to the environmental stewardship and excellence of Canada and take pride in protecting our country's natural resources with the latest eco-friendly technologies.



**FANCY
WINDOWS**

Fancy Windows Mfg. Inc. is a Canadian owned and operated company based in Edmonton, Alberta. Equipped with 200,000 square feet of production area and state-of-the-art technology, we manufacture top quality, energy efficient windows and doors. Our products are available in both PVC and aluminum materials, with various operation styles.

With an abundance of industry experts, Fancy Windows can meet the needs of its customers through high quality products, convenient delivery services, and all-around exceptional service. Our customers include a wide range of home builders, contractors, and homeowners.

3

Interior Doors

- Interior Hollow Core
- Shaker Doors
- Wood Doors
- Designer Doors
- Interior Router Carved
- Glass Inserts
- Pantry and Passage
- Custom French

9

Exterior Doors

- Metal Doors
- Smooth Fibreglass
- Exterior Fibreglass
- Fancy Doors
- Options

18

Hardware

- Weiser
- Taymor
- Emtek

22

Moulding

- Casings
- Baseboards
- Crowns
- Architraves / Batten
- Stop
- Rosettes / Plinth Blocks
- Cove / Panel Mold

28

Commercial

- Commercial Doors
- Core Options
- Custom Order
- Commercial Hardware

34

Windows

- PVC Windows
- Aluminum Windows



2-Panel



Berkley



Berkley Bifold

INTERIOR
DOORS

EXTERIOR
DOORS



Riverside



Lincoln Park



Logan



Birkdale



HARDWARE

MOULDINGS

COMMERCIAL

Bifolds are available in widths of 24", 30", and 36".



Sante Fe or
Cheyenne
Bifold



2 Panel
Bifold



6 Panel
Bifold



Riverside - Bifold



Lincoln Park
Bifold



Birkdale - Bifold

WINDOWS

All interior doors are available in widths of 24", 30" and 36".




Winslow



Cheyenne




6-Panel




Hollow Core Flush



Bella-Ava




Kayla Eco 0.5



Nuvo Eco 0.5



Saddle Brook
Eco 2020




Kappa
Eco 0.5



Eco Flush Door




Kappa Eco 0.5
(Available with
glass option)




Bi-Ad
(Available with
glass option)



Bella-Ava
(Available with
glass option)



Kayla Eco 0.5
(Available in single or double door
configuration with glass option)



Nuvo Eco 0.5
(Available in single or double door
configuration with glass option)

Wood Doors



2 Panel 0028-W



0028V-W
Knotty Alder



0022-W
Knotty Alder



6 Panel 0066-W



E0120-W



Tableau Walnut-S



Flush-L
Natural Birch
Tropical Hardwood



Flush-L
Red Oak



5 Panel-W



Louvered-L
Knotty Alder

Pantry and Passage



Harvest



15 Lite Blue Chip



Pinhead



Pantry



Jade



Pin Reed

INTERIOR
DOORS

EXTERIOR
DOORS

HARDWARE

MOULDINGS

COMMERCIAL

WINDOWS



Coventry French 8ft



Bando French Doors



Franco Door



Double Stratos



Circle Ring



Sq. Ring with Band



French Advent



Strathmore



Prairie



Andrew



1 Lite



Multi Cube



Modern 111



Strato Single Band



French Modern 112

Designer Doors



W04H-W



W-10H-W



W13V-W



W21M-W



W04H-W



Portal

Shaker MDF - with Glass



Deco Grove-S



Anno 4-S




Denby-Curve-S



Denby-5-S



Admit One



Deco 14x1.5-S

Shaker MDF - with Glass



1 Panel-T
8401



2 Panel-S
8402



3 Panel Alternate-S
8403



3 Panel-S
8433



4 Panel-S
8444



5 Panel-S
8405

INTERIOR
DOORS

EXTERIOR
DOORS

HARDWARE

MOULDINGS

COMMERCIAL

WINDOWS


Interior Lite Doors



4 Lite Wood Bar
1 Panel



5 Lite Wood Bar




9 Lite Wood Bar



10 Lite Wood Bar



12 Lite Wood Bar



15 Lite Wood Bar


Shaker MDF - Solid



1 Panel-T
8401



2 Panel-S
8402



3 Panel Alternate-S
8403



3 Panel-S
8433



4 Panel-S
8444



5 Panel-S
8405

Shaker Fir, Hamlock



1 Panel-W



2 Panel Arch-W



3 Panel-W



3 Panel-W



4 Panel-W



5 Panel-W



FIM 608



2P Hollister



1P Sq-Top Plank



2P Sq-Top Plank



Medieval
2 Panel Sq



Walnut 4 Panel
Bottom Arch



2 Panel Plank Arch Top



1 Panel Plank



6 Panel



4 Panel
Bottom Arch



2 Panel Fir
Sq Top



2P Cheyenne

Medieval Options



Speakeasy



1.25"



1.5"



1.25"



1.5"



Wrought Iron



Wrought Iron

INTERIOR
DOORS

EXTERIOR
DOORS

HARDWARE

MOULDINGS

COMMERCIAL

WINDOWS

Metal Exterior Doors (6'8")



2 Panel



Roman



3 Panel Arch Top



3 Panel Craftsman



4 Panel




Parliament



9 Panel



6 Panel



White Fiberglass
Flush Door



2 Panel
Plank Arch Top

Smooth Fiberglass Doors (6'8")



2 Panel Arch Top



6 Panel



4 Panel



3 Panel 3/4 Top



2 Panel Euro



WG 66



WG 66



4 Panel WG 49



6 Panel



CC810



Woodgrain Flush



9 Panel



3P Arch-Top Oak



WG 3B



3 Panel

Craftsman Series: Textured and Smooth Doors



Craftsman Element



Craftsman
6 Lite Door | SL 1 Panel



Craftsman (Naples) Smooth Fiberglass

INTERIOR
DOORS

EXTERIOR
DOORS

HARDWARE

MOULDINGS

COMMERCIAL

WINDOWS



A212
Knotty Alder Panel Door
Chappo Finish



A1202
Knotty Alder Panel Door
w/ Clavos and Carmel
Finish



A1221
Mahogany Panel Door



A1202
Knotty Alder Radius
Top Panel Door



A1322
Knotty Alder
Top Panel Door



A1208
Knotty Alder
Woodgrain Panel
Door



A110
Paint Surface Panel
Door, Custom Finish



A110
Mahogany Woodgrain
Radius Top Panel Door,
Sequoia Finish



A110
Oak Woodgrain Panel
Door, Honey Finish,
Optional Carving



A1202
Mahogany Woodgrain
Radius Top Panel Door



A1222
Knotty Alder
Woodgrain
Panel Door



A1202
Knotty Alder Panel Door



A1301
Mahogany Woodgrain
Radius Top Panel Door,
Cashmere Finish, Optional
1" Round Clavos



A1301
Knotty Alder Woodgrain
Panel Door, Optional 1"
Clavos and Speakeasy
with Rustic Grille in Dark
Patina



A160
Oak Woodgrain Panel
Door, Honey Finish



A1322
Mahogany Woodgrain Panel
Door, Honey Finish, Optional
1" Round Clavos



A1322
Mahogany Woodgrain
Radius Top Panel Door,
Optional 1" Round Clavos



A5037
Mahogany Woodgrain Door, Caramel Finish, Clear IG Glass with Monte Carlo™ Grille in Dark Patina, Optional Radius Top



A5037
Knotty Alder Panel Door, Mocha Finish, Clear IG Glass with Versailles™ Grille in Dark Patina, Optional Radius Top



A1202
Mahogany Panel Doors with Clavos



A800
Paint Surface Doors and Sidelights, Eggshell Finish, Clear Beveled Glass



A250
Mahogany Woodgrain Panel Door and Sidelight, Sequoia Finish, C Glass (Clear Beveled, Ripple, Clear Water), Brass Caming



A250
Mahogany Woodgrain Doors and Sidelights, Sequoia Finish, C Glass (Clear Beveled, Ripple, Clear Water), Brass Caming



A252
Paint Surface Doors and Sidelights, Eggshell Finish, A Glass [Clear Beveled, Rain (Cotswald)] Polished Zinc Caming



A252
Mahogany Woodgrain Doors and Sidelights, Sequoia Finish, A Glass [Clear Beveled, Rain (Cotswald)] Polished Zinc Caming

INTERIOR
DOORS

EXTERIOR
DOORS

HARDWARE

MOULDINGS

COMMERCIAL

WINDOWS



UrbanVue



VogueWay



AxisGreet



CosmoLane



CurveCraft



Skyline



ModaVista



1530-C



1530-C



WD 1824-B ©



WD 1846-A ©



WD 1902 ©



WD 1847 © with Sidelite

INTERIOR
DOORS

EXTERIOR
DOORS



WD 1828 ©



WD 1834 © with Sidelites

HARDWARE

MOULDINGS

COMMERCIAL

WINDOWS



WD 1917 ©



WD 1918 ©



WD 1850 © with Sidelites



WD 1867



WD 1849 ©



WD 1 © with Sidelites



1708 ©



WD 1871 ©



WD 1870 ©



1701 ©



Doors - 1530-A | Sidelites - 1530 S/L



Doors - 1530-A | Sidelites - 1530 S/L



1593 ©



1581 ©



1510-A ©



Doors - 1313 | Sidelites - 1313 S/L



1364 ©



1577 ©



1377 ©



1525 ©



1492 ©



383 Cherry Door with Sidelites & Transom



WD 1854 © with Sidelites



WD 1904 ©

INTERIOR
DOORS

EXTERIOR
DOORS

HARDWARE

MOULDINGS

COMMERCIAL

WINDOWS

Handle Set



Monaco



Grayson



Avalon



Tavaris



Augusta



Kingsway



Longbourn



San Clemente

Pocket Locks



Passage



Private

Digital Locks



Smartcode
Cotemporary



Smartcode

Deadbolt



Deadbolt RD



Deadbolt SQ

Levers



Daylon SQ



Millan RD



Millan SQ



Halifax SQ



Halifax RD



Belmont



Toluca

Knobs



Wickham



Troy



Phoenix



Huntington

Handle Sets

Door Knobs



Ashford

Strait

Madera

London



Villa



Barcelona



Basic Ball



Manchester

Digital Locks

Deadbolt



Concierge 100

Concierge 200

Concierge 300

Concierge 400

Centinel



Square



Round

Levers



Art Deco

Full Bloom

Slip Stream

Crossflow

1948

Bergen

Equinox

Perspective

Hampton

Britannia

Provence

Orleans


Seville

Vega

Silver Moon

All Taymor levers are available in multiple finishes and square and round styles, ask sales representative for details.

Hardware



House Number

Floor Stop

Hinge

Chain Guard

Door Closer

Finger Pull

Modern Knocker

Deadlock

INTERIOR
DOORS

EXTERIOR
DOORS

HARDWARE

MOULDINGS

COMMERCIAL

WINDOWS

Taymor

Bath Sets



Sunglow



Infinity



Electra

FDM

Bath Sets



Anno



Selectra



Globe

SCHLAGE



Addison



Plymouth



Camelot



Bowery



Corona



Georgian



Accent
Addison Trim



Latitude
Century Trim



Merano
Greenwich Trim



Latitude
Greenwich Trim

Levers



Soltice J



Elan



Accent



Merano



Avila

Electronic Locks



Sense Century



Sense Touch



Camelot Touch



Century Touch



Connect
Camelot



Connect
Century

Levers



Cortina

Providence

Durango

Round

Luzem

Hanover

INTERIOR
DOORS

Handle Sets



Baden

Zeus

Apollo

Lausanne

Arts & Crafts

Lafayette

EXTERIOR
DOORS

HARDWARE



Arts Nerveau

Annapolis 2 Point lock

Annapolis

Modern Rectangle

Modern

MOULDINGS

COMMERCIAL

WINDOWS

Electronic Locks



Brass Keypad
Deadbolt

Brass
Keypad Leverset

EMTouch™
Keypad Deadbolt

EMTouch™
Keypad Leverset

EMTouch™ Bluetooth
Keypad Leverset

Modern
Keypad
Entryset

Deadbolts & Knobs



Modern Round

Square

Brass#8 Style

Bern

Octagon

Round

Modern Disc
Crystal

Casings / Baseboards

 <p>MDF 356 1/2" x 2 1/16" 7/16" x 2 1/16"</p>	 <p>MDF 3140 3/8" x 3 1/4"</p>	 <p>MDF 411 5/8" x 3" 11/16" x 3" MPL</p>	 <p>MDF 412 9/16" x 4 1/4" MPL</p>	 <p>MDF 403 5/8" x 3"</p>	 <p>MDF 405 1/2" x 4" 1/2" x 5"</p>	 <p>MDF 435 1/2" x 2 1/2" 9/16" x 2 1/2"</p>	 <p>MDF 438 1/2" x 3 1/2"</p>
 <p>MDF 423 5/8" x 3" MPL</p>	 <p>MDF 1240 1/2" x 4" 1/2" x 5" 9/16" x 4 1/4" MPL</p>	 <p>1x4 3-1/2" x 11/16" MPL</p>	 <p>514 5-1/4" x 1/2" MPL Special Order</p>	 <p>MDF 9090 5/8" x 3" MDF 9091 5/8" x 3 1/2" MPL MMP 9091</p>	 <p>MDF 9290 1/2" x 5" MDF 9291 1/2" x 6 1/2" MPL</p>	 <p>MDF 8037 3/4" x 2 3/4" MDF 3860 4 1/2" x 16' MDF 3861 7" x 16'</p>	 <p>MDF 8237 5/8" x 5 1/2" MDF 8039 3/4" x 3 1/2" MPL 8039</p>
 <p>MDF 386 9/16" x 2 1/4"</p>	 <p>MDF 389 9/16" x 3 1/4"</p>	 <p>MDF 8081 5/8" x 3 1/4" MPL</p>	 <p>MDF 8281 1/2" x 6" MPL</p>	 <p>MDF 093 5/8" x 3 1/4" 5/8" x 3 1/4" 5/8" x 3 15/16" MPL</p>	 <p>MDF 094 5/8" x 4" MDF 095 5/8" x 5" MDF 5208 5/8" x 2 1/2"</p>	 <p>MDF 535 11/16" x 3 1/2" MPL</p>	 <p>MDF 545 5/8" x 5" MPL</p>
 <p>MDF 3459 3/4" x 3 3/4" MPL</p>	 <p>MDF 2459 5 1/2" x 14' MPL</p>	 <p>MDF 128 1-1/8" x 4"</p>	 <p>MDF L-130 5/8" x 7 1/4"</p>	 <p>MDF 8063 3/4" x 3 1/4"</p>	 <p>MDF 965 3/4" x 7"</p>	 <p>MDF 976 5/8" x 6 1/2"</p>	

Casings / Baseboards



MDF 348
1" x 4 1/2"



MDF 347
3 1/4" x 7"



MDF 640
1" x 5 1/2"



MDF 540
1" x 4"



MDF 0729
3/4" x 3 1/4"



MDF 908
3/4" x 3 1/4"
MPL



MDF 161
9/16" x 5 1/4"
Special Order

Architraves



MDF 623
3/8" x 3 1/4"



MDF 628
9/16" x 5 1/4"



MDF 349
1/2" x 5"



MDF 353
5/8" x 4"

MDF 353
1/2" x 3"



MDF 5010
1 3/16" x 4 3/16"
MPL



MDF 2172
1 1/2" x 5 1/2"
MPL



MDF 4498



INTERIOR
DOORS

EXTERIOR
DOORS

HARDWARE

MOULDINGS

COMMERCIAL

WINDOWS

Crowns



MDF 3244
3/4" x 1 1/4"
9/16" x 1 1/4"



MPL 3244
3/4" x 1 1/4"



MDF 3245
1/8" x 1 7/8"



MDF 54
1/2" x 2 1/4"



MDF 3248
1 3/16" x 2 3/8"
MPL / OAK



MPL 51
5/8" x 3 1/4"
11/16" x 3 1/4"
MPL / OAK



MDF 297
Chair Rail
11/16" x 3"



CVS-1



CVS-2



MDF 576
3/4" x 6 1/8"



E599 MDF



3901



3900



3174



3903



51



47



512



3175



9041



90983



5889



5981

Window Sill



MDF 330



0125



336



128

Rounds



MDF 3216
3/4" x 1 1/2"
MPL



MPL 3206
11/16" x 11/16"
3/4" x 1 1/4"
MPL
PFJ



MDF 3422
3/8" x 1 1/4"
MPL
PFJ



MH3422
3/8" x 1 3/16"
MMP3422
3/8" x 1 3/16"
MPL 3422
3/8" x 1 3/16"



PFJ 3422
3/8" x 1 1/4"
3/8" x 1 3/16"



MRO342207
3/8" x 1 3/16"
MVMQ3422
3/8" x 1 1/4"



MPL 936
3/8" x 1 1/4"
MDF



936
3/8" x 1 3/16"

Stops

Plinth Blocks



MDF 583
3/4" x 4 3/8"
MPL



MDF 512
9/16" x 5 1/4"
MPL



MDF 945
3/4" x 3 1/2"
1" x 3 1/2"
3/4" x 2 1/2"

Batten



MPL 3277
3/8" x 3/4"
PFJ
OAK



MPL 3274
1/4" x 3/4"
5/16" x 3/4"
PFJ
OAK



MPL 3294
5/16" x 1 1/2"
5/16" x 1 5/8"
PFJ
OAK



PINE 3294
3/8" x 1 5/8"
MPL
OAK



PINE 3296
7/16" x 2 1/4"
MPL
OAK



MPL 3296
5/16" x 2 3/16"
MPL
OAK

Cove



OAK 3260
1/2" x 1/2"
MPL
PFJ



MPL 3264
11/16" x 11/16"
MPL
PFJ



PINE 3264
11/16" x 11/16"
MPL
PFJ



MVMQ326408
11/16" x 11/16"
MVWH326408
11/16" x 11/16"



MPL 3724
1/2" x 1 3/16"
MPL 3725
3/4" x 15/16"
OAK



OAK 3725
13/16" x 13/16"
15/16" x 1 1/4"
MPL



PFJ 3278
3/8" x 1 1/8"
PFJ 3279
7/16" x 1 9/16"
MPL

Panel Mould

INTERIOR
DOORS

EXTERIOR
DOORS

HARDWARE

MOULDINGS

COMMERCIAL

WINDOWS



Pre-fabricated / custom design winscotting 32" x 48" x 5/8"



Cape Cord



Presidential



Circle Dots



Colonial - Presidential



Cric-cles



English Pub



Gothic



Colonial



Classical



Medallion



CM-6019



CM-6004



CM-0019



KM0018



KM0052



CM-6003



RM2929-FL



RM2626-33



GM-6002G

Rosettes



MMPRO34212BE0G
3/4" x 2 1/2"



PRMRO34212BE0G
3/4" x 1 1/2"



PRMRO34300BTOG
3/8" x 3"



PRMRO44312BE0G
1" x 3 1/2"



OAKRO34212BE0G
3/4" x 2 1/2"



OAKRO44312BE0G
1" x 3 1/2"

MMPRO34300BE0G
3/4" x 3"

PRMRO34212BTOG
3/4" x 2 1/2"

PRMRO34312BE0G
3/4" x 3 1/2"

PRMRO44312BTOG
1" x 3 1/2"

OAKRO34300BE0G
3/4" x 3"

MMPRO34312BE0G
3/4" x 3 1/2"

PRMRO34300BE0G
3/4" x 3"

PRMRO34312BTOG
3/4" x 3 1/2"

OAKRO34212BTOG
3/4" x 2 1/2"

OAKRO34312BE0G
3/4" x 3 1/2"

Available in MDF, MPL, and OAK

Poly Crown



CN-2073



KA-0013.CN-2068



P0CR-3186



P0CR-8067



CR-4015



CN-2070



CN-2073



KA-0032.8814



KA-0046



CN2073



AA 0084



0108

Ornament Moulding



CB-7054



CB-7000



CB-7020



CB-7054



A-Pilcap-R6



A-Pilcap-R8

Railings




MPLWB




POPWB



HEM 3507



MPLRL



POPRL



Metal



INTERIOR
DOORS

EXTERIOR
DOORS


HARDWARE

MOULDINGS

COMMERCIAL

WINDOWS

FIRE RATED Steel Doors



Door Designs

Diverse designs from standard flat industrial/commercial to the embossed decorative doors that would enhance any entrance way.

Louvers

Require special air circulation for either heating or cooling? No problem, we offer doors with variety of louver openings, both bottom and top.

FEATURES

Closer Reinforcing

All doors come with a closer reinforcement box at the top of each door and also the bottom of the door when reversible.

Panic-Bar Reinforcing

Reinforcing box for Panic-Bar ensures that hardware remains secure and fully functional.

Standard Hinge Preparation

On doors up to 7'-6" high: 1-1/2 pair of 4-1/2" x 4-1/2" template hinge reinforcements. On doors over 7'-6" high: 2 pair of 4-1/2" x 4-1/2" template hinge reinforcements.

End Channels

Projection-welded end channels at 3" to 4" centres, add strength and durability.

Lock Seam

Extra deep vertical mechanical full lock seam construction helps retain the quality and integrity of the door. A special sealant adhesive is also used on the edges to provide maximum strength and rigidity.

Inner core

Honeycomb cell paper comes with impregnated resin.

Standard Lock Preparation


All doors include a Govt. #161 lock reinforcement with full barrel support or panic-bar reinforcing.

Surface Bolt Reinforcing


Special reinforcing plates for surface bolt preparation can be installed as an option.

Edge Tabs

Special Edge Tabs for flush bolt preparation can be installed as an option.



DESIGN Options



Glass Lites

Window kits can be installed with any size or shape you desire. Ask us for details.

INNER CORE Construction

You have a choice of five different inner cores.



Standard Honeycomb Core

- Rigid and impact resistant.
- 1" honeycomb cell paper construction has sanded edges.
- Resin impregnated.
- R factor: 2:4
- STC 20 in (sound transmission) 20 gauge material.
- Flat or 6 panel surface.



Polyurethane Core

- 1-3/4" polyurethane composite.
- All reinforcing boxes contain polyurethane.
- Excellent insulating.
- R factor: 12:0
- STC 26 in 20 gauge material.




Temperature-Rise Core

- Solid mineral-fibre core slab.
- Exceeds current NFPA-80 recommendations.
- Ideal for stairwells and installations adjacent to fire-walls.



PolyStyrene Core

- 1-3/4" polystyrene composite construction.
- All reinforcing boxes contain polystyrene.
- Flat or 6 panel embossed surface.
- R factor: 7:0
- STC 26 in 20 gauge material.



Steel-Stiffened Core

- 20 gauge vertical steel stiffeners are welded or laminated to door skins at 6" centres.
- Fiberglass insulation provides excellent sound-deadening.
- For extra heavy-duty requirements, door edges can be tack-welded, filled and ground smooth.

ROUGH OPENINGS	WIDTH	HEIGHT	EXAMPLE		
Welded steel frame	Door size + 4 1/4"	x Height + 2 1/4"	3070 = 40 1/4" x 86 1/4"	* NOTE: This rough openings are for standard size doors as manufactured/distributed by Fancy Doors and Mouldings Ltd. Please call 780.432.7700 for confirmation of non-standard sizes.	
Knock down steel frame	Door size + 2"	x Height + 1"	3068 = 38" x 81"		
Expandable steel frame	Door size + 1 3/4"	x Height + 7/8"	2868 = 33 3/4" x 80 7/8"		
Suite entry in wood frame	Door size + 2"	x Height + 2"	3068 = 38" x 82"		
Interior door	Door size + 2"	x Height + 2 1/2"	2668 = 32" x 82"		
Pocket door	Door size x 2 + 1"	x Height + 4 1/2"	2868 = 65" x 84 1/2"		
Exterior residential door	Door size + 2"	x Height + 3"	3068 = 38" x 83"		
FINISHED OPENINGS	WIDTH	HEIGHT	EXAMPLE		
Bi-Fold door	Nominal door width	x 80 1/2"	4068 = 48" x 80 1/2"		
Bi-Pass door	Nominal door width	x 80 1/2"	5068 = 60" x 80 1/2"		

INTERIOR
DOORS

EXTERIOR
DOORS

HARDWARE


MOULDINGS

COMMERCIAL


WINDOWS

STANDARD Frames

“AS” material




Our standard steel door frames are available in 14, 16 and 18 gauge wipe-coat galvanized steel and can be manufactured to meet all architectural design specifications. Warnock Hersey fire labeling is available when required. Standard profiles include 4-3/4", 5-3/4", 6-3/4" and 8-3/4".




- All KD frames have precise, mitred corners.
- All welded corners are ground smooth and primed for a more attractive finish.
- A special tab holding system provides additional strength and locks the frame in position on the stud.



- Special mortar guards on hinge reinforcements to prevent mortar fill-in.
- 10 gauge galvanized reinforcements add strength and help prevent sagging.



- One-piece reinforcements are projection-welded in place to increase strength and rigidity.




- 16 gauge wipe-coat galvanized floor anchor is welded in place for easier fastening.
- 5/8" stops provide a large surface for weather-stripping.
- Frame is prepared for silencer bumper holes.

FRAME Installation


With all frame, drywall rough opening should be 2" wider and 1" higher than door width and height.

1. Centre header piece in rough opening.
2. Slip jamb tabs into header slots, pivot jamba to locked position. Adjustable anchors should be as tight as possible in throat opening.
3. Locate removable wooden spreader bar at base.
4. Bend corner tabs to attach header piece.
5. Square the frame and tighten adjustment screws.




DRYWALL Frames


“KDDW” material



Our drywall frames are available in 18 gauge wipe-coat galvalume and 16 gauge. They can be accommodated any wall thickness and heavier interior applications. Standard drywall KDDW frames are available in 4-1/2", 5-5/8", 5-3/4" or 5-7/8" jamb depths.



- Accurately machined mitres make corners smooth and attractive.



- Adjustable tension anchor for secure anchoring.



- 18 gauge galvalume strike-box reinforcements are projection-welded to the frame.



- 10 gauge galvalume hinge reinforcements are also projection-welded to the frame.

EXPANDABLE Drywall Frames

“EP” Material

An expandable frame that can be adapt to 3 1/2" to 12" wall condition. This product is ideal for that difficult project requiring various jamb-depth material. This 16 or 18 gauge product is prepared for silencer holes, ASA strike, counter sunk face holes and 4 1/2" hinge reinforcements. This product can be fire-rated covering an opening up to 8'0" x 8'0" with a 1 1/2 hour rating.

Levers, Knobs, Deadbolts



Excalibur

Citadel

Duke

Knight

York

Grade 1 Deadbolt

Trim Handle Sets, Panic Bars, Door Closure and Bath Accessories



Thumb Trim

Door Lever

Towel Shelves

Taymor.

Door Closer

Door Pull Handle

FIRE RATED Wood Doors

20 minutes | 40 minutes fire rated wood doors

- 1** Lyptus Architectural Wood Veneer
- 2** StileLine™ Sketchface Natural Wood Veneer
- 3** Oak Light Commercial Veneer
- 4** Walnut Plastic Laminate
- 5** Crossmore Molded Panel
- 6** Newport Cherry Finished Hardboard



FDM 2503 Steel Hardware

Stainless steel hardware for sliding door



Sliding roller: TY2.040.003.92



Sliding roller: TY2.040.047.92



Sliding roller: TY2.040.036.92



Sliding roller: TY2.040.023.92

INTERIOR
DOORS

EXTERIOR
DOORS

HARDWARE

MOULDINGS

COMMERCIAL

WINDOWS

FDM 2505 Black Hardware

Black hardware for sliding door



Soft closer: TY2.099.033.00




Actuator: TY2.099.025.22



FANCY WINDOWS


Slider/Hung Windows

Window Function



Slider Window

Slides horizontally and sturdy roller helps easy to operate.




Hung Window

Slides up and down vertically and easy to operate.



Picture Window

Non-opening windows perfect for letting in natural light.



Window Combination

A combination of slider, hung, or picture windows to complement your home's overall design.



Design Options



Exterior Brickmould



Interior Jamb



Robust Roller



Secure Latches



Drain Cap



All-Foam Spacer



Commercial Aluminum Windows

Colours



White



Jet Black



Renolit
Bronze




Graphite

Custom colour options available. Ask a sales associate for colour options.


Casement/Awning Windows

Window Function



Casement Window

Opens outward from the side and is easily secured with hardware.




Picture Window

Non-opening windows perfect for letting in natural light.



Awning Window

Opens outwards from the bottom and is easily secured with hardware.



Window Combination

A combination of casement, awning or picture windows to complement your home's overall design.



Design Options



Exterior Brickmould



Interior Jamb



Hardware



Triple Pane Glass



All-Foam Spacer



Multiple Weatherstrips

Colours



White



Jet Black



Renolit
Bronze



Graphite

Custom colour options available. Ask a sales associate for colour options.

INTERIOR
DOORS

EXTERIOR
DOORS

HARDWARE

MOULDINGS

COMMERCIAL

WINDOWS



FANCY WINDOWS

Tel: 780.452.6000
fancywindows.com



4421 Roper Road NW
Edmonton AB T6B 3S5

Tel: 780.432.7700
Fax: 780.432.7710

fancydoors.com

Product illustration and images in this catalog may not accurately reflect the colors specified due to the printing process. Fancy doors and Mouldings reserve the right to change product specifications without notice. The name and logo of JELD-WEN, Masonite, Lynden, Artek, Weiser, Taymor, Emtek, Dorex, Cendrex, and SOSS are reserved their trademark respectively.

